CANADIAN GEOTECHNICAL JOURNAL | **REVUE CANADIENNE DE GÉOTECHNIQUE**

VOLUME 20, 1983

Author Index / Index des auteurs

Acott, C.P., see Stimpson, B., 532.

Akers, S.A., see Silva, A.J., 517.

Al-Hussaini, M. Effect of particle size and strain conditions on the strength of crushed basalt, 706.

Ali, E.M., see Wu, T.H., 437.

Arroyo, R., and Sagaseta, C. Effective stress analysis of the stability of embankments on soft soils: Discussion, 556.

Bakht, B., Jaeger, L.G., and Dorton, R.A. Deep foundation design in the new Ontario Highway Bridge Design Code: Discussion, 858.

Balanko, L.A., see Williams, D.R., 570.

Barendregt, R.W., and Vreeken, W.J. A coring device suitable for paleomagnetic sampling of unconsolidated subsurface deposits, 845.

Bengtsson, P.-E., and Sällfors, G. Floating piles in soft, highly plastic clays, 159.

Berezowski, M., see Bertok, J., 353.

Bertok, J., and Berezowski, M. Pile load tests for the Calgary Air Terminal building, 353.

Bohdanowicz, A., see Quigley, R.M., 288.

Bouchard, R., Dion, D.J., et Tavenas, F. Origine de la préconsolidation des argiles du Saguenay, Québec, 315.

Bozozuk, M., see Leroueil, S., 477.

Brand, E.W. Effective stress analysis of the stability of embankments on soft soils: Discussion, 558.

Bray, J.W., see Crawford, A.M., 276.

Burgess, I.W., and Hird, C.C. Stability of installation of marine caisson anchors in clay, 385.

Campanella, R.G., see Robertson, P.K., 718.

Campanella, R.G., see Robertson, P.K., 734.

Campanella, R.G., Robertson, P.K., and Gillespie, D. Cone penetration testing in deltaic soils, 23.

Carrier, W.D., III On the consolidation of sedimenting clays: Discussion, 369.

Chapuis, R.P. New stability method for embankments on clay foundations: Reply, 367.

Chari, T.R., and Meyerhof, G.G. Ultimate capacity of rigid single piles under inclined loads in sand, 849.

Chen, Z.-Y., and Morgenstern, N.R. Extensions to the generalized method of slices for stability analysis, 104.

Ching, R.K.H., and Fredlund, D.G. Some difficulties associated with the limit equilibrium method of slices, 661.

Christiansen, E.A. The Denholm landslide, Saskatchewan. Part I: Geology, 197.

Chugh, A.K. Slope stability analysis of riverbanks, 335.

Comeau, W., see Dascal, O., 746.

Crawford, A.M., and Bray, J.W. Influence of the *in-situ* stress field and joint stiffness on rock wedge stability in underground openings, 276.

Cruden, D.M. Creep in brittle rock after an increment of uniaxial load, 836.

Dahlberg, R. Observations of scour around offshore structures, 617.

Dascal, O., and Comeau, W. Emergency drainage system at the dam 3 – Outardes 4 development, 746.

Dion, D.J., see Bouchard, R., 315.

Dorton, R.A., see Bakht, B., 858.

Eisenstein, Z., see Medeiros, L.V., 120.

Eisenstein, Z., and Medeiros, L.V. A deep retaining structure in till and sand. Part II: Performance and analysis, 131.

Favre, M., see Soulie, M., 453.

Fellenius, B.H., and Meyerhof, G.G. Deep foundation design in the new Ontario Highway Bridge Design Code, 173.
Fisher, W.R. Modulus of elasticity of a very dense glacial till determined by plate load tests, 186.
Folkes, D.J. Erratum: Fifth Canadian Geotechnical Colloquium: Control of contaminant migration by the use of liners, 371.
Frederking, R., and Karri, J. Effects of pile material and loading state on adhesive strength of piles in ice, 673.
Fredlund, D.G., see Ching, R.K.H., 661.
Fredlund, D.G., see Pufahl, D.E., 228.
Fredlund, D.G., see Yoshida, R.T., 69.
Gillespie, D., see Campanella, R.G., 23.
Graham, J., Noonan, M.L., and Lew, K.V. Yield states and stress – strain relationships in a natural plastic clay, 502.
Gwyn, Q.H.J., see Quigley, R.M., 288.
Hamilton, J.J., see Yoshida, R.T., 69.
Haynes, J.E., see Quigley, R.M., 288.
Helfrich, S.C., see Kraft, L.M., Jr., 182.
Hillis, S.F., and Truscott, E.G. Magat Dams: Design of internal filters and drains, 491.
Hird, C.C., see Burgess, I.W., 385.
Hong-qi, F., see Zhong-qi, W., 61.
Hong-qi, F., see Zhong-qi, W., 242.
Horvath, J.S. Settlement limitations for cylindrical steel storage tanks: Discussion, 368.
Horvath, J.S. A case for the extension of the unified soil classification system: Discussion, 369.
Horvath, R.G., Kenney, T.C., and Kozicki, P. Methods of improving the performance of drilled piers in weak rock, 758.
Hsu, J.R., see Wu, T.H., 437.
Jaeger, L.G., see Bakht, B., 858.
Jean, P., see Tavenas, F., 629.
Jean, P., see Tavenas, F., 645.
Journeaux, N.L., see Rosenberg, P., 371.
Kack, G.J., see Rowe, R.K., 11.
Kack, G.J., see Rowe, R.K., 299.
Karri, J., see Frederking, R., 673.
Kenney, T.C., see Horvath, R.G., 758.
Konrad, J.-M., see Soulie, M., 453.
Koppula, S.D., and Morgenstern, N.R. Erratum: On the consolidation of sedimenting clays, 195.
Kotzias, P.C., and Stamatopoulos, A.C. A case for the extension of the unified soil classification system: Discussion, 855.
Kozicki, P., see Horvath, R.G., 758.
Kraft, L.M., Jr., and Helfrich, S.C. Bearing capacity of shallow footing, sand over clay, 182.
Laba, J.T. Cohesive soil compaction by water jetting, 394.
Lau, J.S.O. The determination of true orientations of fractures in rock cores, 221.
Le Bihan, J.P., see Leroueil, S., 681.
Leblond, P., see Tavenas, F., 629.
Leblond, P., see Tavenas, F., 645.
Leroueil, S., see Morin, P., 782.
Leroueil, S., see Tavenas, F., 629.
Leroueil, S., see Tavenas, F., 645.
Leroueil, S., see Trak, B., 366.
Leroueil, S., Samson, L., and Bozozuk, M. Laboratory and field determination of preconsolidation pressures at Gloucester, 477.
Leroueil, S., Tavenas, F., et Le Bihan, J.P. Propriétés caractéristiques des argiles de l'est du Canada, 681.
Leroueil, S., Tavenas, F., Samson, L., and Morin, P. Preconsolidation pressure of Champlain clays. Part II. Laboratory determination, 803.
Leung, K. Effective stress analysis of the stability of embankments on soft soils: Discussion, 860.
Lew, K.V., see Graham, J., 502.
Liam Finn, W.D., see Luternauer, J.L., 603.
Liang, Y., and Lovell, C.W. Strength of field compacted clays, 36.
Lidgren, R.A., and Sauer, E.K. Erratum: The Gronlid crossing, Saskatchewan Provincial Highway No. 6 at the Saskatchewan River, 195.
Lo, K.Y., see Rowe, R.K., 11.
Lou, J.K., see Taylor, H., 416.

Lovell, C.W., see Liang, Y., 36.
Lutenegger, A.J. Engineering properties and zoning of loess and loess-like soils in China: Discussion, 192.
Luternauer, J.L., and Liam Finn, W.D. Stability of the Fraser River Delta front, 603.
Marshall, R.G., and Ruban, T.F. Geotechnical aspects of pipeline construction in Alberta, 1.
Martin, R.L., see Williams, D.R., 570.
Matyas, E.L., see Taylor, B.B., 535.
Matyas, E.L., see Taylor, B.B., 832.
Medeiros, L.V., and Eisenstein, Z. A deep retaining structure in till and sand. Part I: Stress path effects, 120.
Medeiros, L.V., see Eisenstein, Z., 131.
Meyerhof, G.G., see Chari, T.R., 849.
Meyerhof, G.G., see Fellenius, B.H., 173.
Mirza, C. Soft zones in the glacial till in downtown Edmonton: Discussion, 193.
Mirza, C. A case for the extension of the unified soil classification system: Reply, 857.
Moran, K., see Silva, A.J., 517.
Morgenstern, N.R., see Chen, Z.-Y., 104.
Morgenstern, N.R., see Koppula, S.D., 195.
Morgenstern, N.R., see Nixon, J.F., 251.
Morgenstern, N.R., see Sego, D.C., 587.
Morin, P., see Leroueil, S., 803.
Morin, P., Leroueil, S., and Samson, L. Preconsolidation pressure of Champlain clays. Part I. *In-situ* determination, 782.
Morris, D.V. An apparatus for investigating earthquake-induced liquefaction experimentally, 840.
Negussey, D., see Vaid, Y.P., 827.
Nixon, J.F., Morgenstern, N.R., and Reesor, S.N. Frost heave – pipeline interaction using continuum mechanics, 251.
Noonan, M.L., see Graham, J., 502.
Novak, M. Foundations for shock-producing machines, 141.
Nunn, J.O.H., see Solymar, Z.V., 373.
Paillet, F.L. Acoustic characterization of fracture permeability at Chalk River, Ontario, 468.
Paré, J.-J., see Rosenberg, P., 773.
Poorooshasb, H.B., and Yong, R.N. Hydraulic fracturing from induced pore pressures in clay soils, 546.
Pufahl, D.E., Fredlund, D.G., and Rahardjo, H. Lateral earth pressures in expansive clay soils, 228.
Quigley, R.M., Gwyn, Q.H.J., White, O.L., Rowe, R.K., Haynes, J.E., and Bohdanowicz, A. Leda clay from deep boreholes at Hawkesbury, Ontario. Part I: Geology and geotechnique, 288.
Rabbaa, S.A.A., see Selvadurai, A.P.S., 406.
Rahardjo, H., see Pufahl, D.E., 228.
Reesor, S.N., see Nixon, J.F., 251.
Robertson, P.K., see Campanella, R.G., 23.
Robertson, P.K., and Campanella, R.G. Interpretation of cone penetration tests. Part I: Sand, 718.
Robertson, P.K., and Campanella, R.G. Interpretation of cone penetration tests. Part II: Clay, 734.
Rogers, C. Frost action as the cause of dolostone popouts in asphalt, Kingston, Ontario, 542.
Rosenberg, P., and Journeaux, N.L. Erratum: Settlement limitations for cylindrical steel storage tanks, 371.
Rosenberg, P., and Paré, J.-J. Eastmain River Dam—A case history of mass compaction in earth dam construction, 773.
Rowe, R.K. Foundations in tension: Ground anchors: Book Review, 562.
Rowe, R.K., and Kack, G.J. A theoretical examination of the settlements induced by tunnelling: four case histories, 299.
Rowe, R.K., see Quigley, R.M., 288.
Rowe, R.K., Lo, K.Y., and Kack, G.J. A method of estimating surface settlement above tunnels constructed in soft ground, 11.
Ruban, T.F., see Marshall, R.G., 1.
Sagaseta, C., see Arroyo, R., 556.
Sällfors, G., see Bengtsson, P.-E., 159.
Samson, L., see Leroueil, S., 477.
Samson, L., see Leroueil, S., 803.
Samson, L., see Morin, P., 782.
Sauer, E.K. The Denholm landslide, Saskatchewan. Part II: Analysis, 208.
Sauer, E.K., see Lidgren, R.A., 195.
Sego, D.C., and Morgenstern, N.R. Deformation of ice under low stresses, 587.
Selvadurai, A.P.S., and Rabbaa, S.A.A. Some experimental studies concerning the contact stresses beneath interfering rigid strip

foundations resting on a granular stratum, 406.
Sheeran, D.E., see Yong, R.N., 817.
Sherstone, D.A. Sediment removal during an extreme summer storm: Muskwa River, northeastern British Columbia, 329.
Shu-dong, Z., see Zhong-qi, W., 61.
Shu-dong, Z., see Zhong-qi, W., 242.
Silva, A.J., Moran, K., and Akers, S.A. Stress–strain–time behavior of deep sea clays, 517.
Silvestri, V. The bearing capacity of dykes and fills founded on soft soils of limited thickness, 428.
Silvestri, V., and Tabib, C. Exact determination of gravity stresses in finite elastic slopes: Part I. Theoretical considerations, 47.
Silvestri, V., and Tabib, C. Exact determination of gravity stresses in finite elastic slopes: Part II. Applications, 55.
Simmons, J.V. Programming the finite element method—with application to geomechanics: Book Review, 863.
Siu, S.K.H., see Yong, R.N., 817.
Solymar, Z.V., and Nunn, J.O.H. Frost sensitivity of core materials: Case histories, 373.
Soulie, M., Favre, M., et Konrad, J.-M. Analyse géostatistique d'un noyau de barrage tel que construit, 453.
Stamatopoulos, A.C., see Kotzias, P.C., 855.
Steer, P., and Woo, M.-k. Measurement of slope runoff in a permafrost region, 361.
Stimpson, B., and Acott, C.P. Application of the NCB Cone Indenter to strength index testing of sedimentary rocks from Western Canada, 532.
Tabib, C., see Silvestri, V., 47.
Tabib, C., see Silvestri, V., 55.
Tavenas, F., see Bouchard, R., 315.
Tavenas, F., see Leroueil, S., 681.
Tavenas, F., see Leroueil, S., 803.
Tavenas, F., Leblond, P., Jean, P., and Leroueil, S. The permeability of natural soft clays. Part I: Methods of laboratory measurement, 629.
Tavenas, F., Jean, P., Leblond, P., and Leroueil, S. The permeability of natural soft clays. Part II: Permeability characteristics, 645.
Taylor, B.B., and Matyas, E.L. Settlement of a strip footing on a confined clay layer, 535.
Taylor, B.B., and Matyas, E.L. Influence factors for settlement estimates of footings on finite layers, 832.
Taylor, H., and Lou, J.K. Design and construction of Revelstoke earthfill dam, 416.
Terzaghi, K. Egypt's Aswan High Dam: Dinner address presented on December 17, 1956, 169.
Ting, J.M. On the nature of the minimum creep rate – time correlation for soil, ice, and frozen soil, 176.
Trak, B., and Leroueil, S. New stability method for embankments on clay foundations: Discussion, 366.
Truscott, E.G., see Hillis, S.F., 491.
Vaid, Y.P., and Negussey, D. A simple stress path analog for the triaxial test, 827.
VanDine, D.F. Drynoch landslide, British Columbia—a history, 82.
VanDine, D.F. Handbook of geology in civil engineering: Book Review, 864.
Vreeken, W.J., see Barendregt, R.W., 845.
Watson, G.H., Williams, R.S., and Yam, C.C. The design and performance of heavily loaded piles in a high-risk earthquake zone, 262.
White, O.L., see Quigley, R.M., 288.
Williams, D.R., Balanko, L.A., and Martin, R.L. Monitoring and performance of an earth-fill dam in central Alberta, 570.
Williams, R.S., see Watson, G.H., 262.
Woo, M.-k., see Steer, P., 361.
Wu, T.H., Hsu, J.R., and Ali, E.M. Plastic deformation of an embankment on clay, 437.
Yam, C.C., see Watson, G.H., 262.
Yong, R.N., see Poorooshasb, H.B., 546.
Yong, R.N., Siu, S.K.H., and Sheeran, D.E. On the stability and settling of suspended solids in settling ponds. Part I. Piece-wise linear consolidation analysis of sediment layer, 817.
Yoshida, R.T., Fredlund, D.G., and Hamilton, J.J. The prediction of total heave of a slab-on-grade floor on Regina clay, 69.
Zaltsberg, E. Groundwater balance in the wet zone of the USSR, 563.
Zeuch, D.H. The mechanical behavior of Anvil Points oil shale at elevated temperatures and confining pressures, 344.
Zhong-qi, W., Hong-qi, F., and Shu-dong, Z. Macroscopic features of earthquake induced soil liquefaction and its influence on ground damage, 61.
Zhong-qi, W., Hong-qi, F., and Shu-dong, Z. Surface displacements in relation to shallow surface fractures and deep faulting, 242.

CANADIAN GEOTECHNICAL JOURNAL

REVUE CANADIENNE DE GÉOTECHNIQUE

VOLUME 20, 1983

Subject Index / Index des matières[1]

A. General

01. *Geotechnical Engineering-Scope*
Handbook of geology in civil engineering: Book Review. VanDine, D.F., 864.

02. *Historical Aspects*
Drynoch landslide, British Columbia—a history. VanDine, D.F., 82.
Egypt's Aswan High Dam: Dinner address presented on December 17, 1956. Terzaghi, K., 169.

04. *Textbooks, Handbooks, and Periodicals*
Foundations in tension: Ground anchors: Book Review. Rowe, R.K., 562.
Programming the finite element method—with application to geomechanics: Book Review. Simmons, J.V., 863.
Handbook of geology in civil engineering: Book Review. VanDine, D.F., 864.

05. *Terminology*
A case for the extension of the unified soil classification system: Discussion. Horvath, J.S., 369.
A case for the extension of the unified soil classification system: Discussion. Kotzias P.C., and Stamatopoulos, A.C., 855.
A case for the extension of the unified soil classification system: Reply. Mirza, C., 857.

B. Geological and Environmental Aspects

01. *Formation of Soils and Rocks*
Erratum: The Gronlid crossing, Saskatchewan Provincial Highway No. 6 at the Saskatchewan River. Lidgren, R.A., and Sauer, E.K., 195.

02. *Hydrogeological Aspects*
Measurement of slope runoff in a permafrost region. Steer, P., and Woo, M.-k., 361.
Groundwater balance in the wet zone of the USSR. Zaltsberg, E., 563.

03. *Mass Movements and Land Subsidence*
Drynoch landslide, British Columbia—a history. VanDine, D.F., 82.
Erratum: On the consolidation of sedimenting clays. Koppula, S.D., and Morgenstern, N.R., 195.
The Denholm landslide, Saskatchewan. Part I: Geology. Christiansen, E.A., 197.
Surface displacements in relation to shallow surface fractures and deep faulting. Zhong-qi, W., Hong-qi, F., and Shu-dong, Z., 242.
On the consolidation of sedimenting clays: Discussion. Carrier, W.D., III, 369.

04. *Seismic Activity and Crustal Movements*
Macroscopic features of earthquake induced soil liquefaction and its influence on ground damage. Zhong-qi, W., Hong-qi, F., and Shu-dong, Z., 61.
Surface displacements in relation to shallow surface fractures and deep faulting. Zhong-qi, W., Hong-qi, F., and Shu-dong, Z., 242.

[1]Based on the International Geotechnical Classification System (IGC) as revised in 1981.

05. *Climatic Conditions*
Sediment removal during an extreme summer storm: Muskwa River, northeastern British Columbia. Sherstone, D.A., 329.
Measurement of slope runoff in a permafrost region. Steer, P., and Woo, M.-k., 361.
Groundwater balance in the wet zone of the USSR. Zaltsberg, E., 563.

06. *Submarine Geological Aspects*
Stability of the Fraser River Delta front. Luternauer, J.L., and Liam Finn, W.D., 603.

09. *Geomorphologic Aspects and Terrain Classification*
Engineering properties and zoning of loess and loess-like soils in China: Discussion. Lutenegger, A.J., 192.
Origine de la préconsolidation des argiles du Saguenay, Québec. Bouchard, R., Dion, D.J., et Tavenas, F., 315.

10. *Mineralogical Aspects*
The Denholm landslide, Saskatchewan. Part I: Geology. Christiansen, E.A., 197.
Stress – strain – time behavior of deep sea clays. Silva, A.J., Moran, K., and Akers, S.A., 517.
Frost action as the cause of dolostone popouts in asphalt, Kingston, Ontario. Rogers, C., 542.
Propriétés caractéristiques des argiles de l'est du Canada. Leroueil, S., Tavenas, F., et Le Bihan, J.P., 681.
On the stability and settling of suspended solids in settling ponds. Part I. Piece-wise linear consolidation analysis of sediment layer. Yong, R.N., Siu, S.K.H., and Sheeran, D.E., 817.

11. *Description of Regional Soil and Rock Conditions*
Soft zones in the glacial till in downtown Edmonton: Discussion. Mirza, C., 193.
Leda clay from deep boreholes at Hawkesbury, Ontario. Part I: Geology and geotechnique. Quigley, R.M., Gwyn, Q.H.J., White, O.L., Rowe, R.K., Haynes, J.E., and Bohdanowicz, A., 288.
Origine de la préconsolidation des argiles du Saguenay, Québec. Bouchard, R., Dion, D.J., et Tavenas, F., 315.
Propriétés caractéristiques des argiles de l'est du Canada. Leroueil, S., Tavenas, F., et Le Bihan, J.P., 681.

C. Site Investigations

01. *Airphoto Surveys and Remote Sensing*
Macroscopic features of earthquake induced soil liquefaction and its influence on ground damage. Zhong-qi, W., Hong-qi, F., and Shu-dong, Z., 61.
Sediment removal during an extreme summer storm: Muskwa River, northeastern British Columbia. Sherstone, D.A., 329.

02. *Geophysical Surveys*
The Denholm landslide, Saskatchewan. Part I: Geology. Christiansen, E.A., 197.
Acoustic characterization of fracture permeability at Chalk River, Ontario. Paillet, F.L., 468.

03. *Probings (Soundings)*
Cone penetration testing in deltaic soils. Campanella, R.G., Robertson, P.K., and Gillespie, D., 23.
Interpretation of cone penetration tests. Part I: Sand. Robertson, P.K., and Campanella, R.G., 718.
Interpretation of cone penetration tests. Part II: Clay. Robertson, P.K., and Campanella, R.G., 734.

04. *Visual Exploration Techniques*
Macroscopic features of earthquake induced soil liquefaction and its influence on ground damage. Zhong-qi, W., Hong-qi, F., and Shu-dong, Z., 61.
Surface displacements in relation to shallow surface fractures and deep faulting. Zhong-qi, W., Hong-qi, F., and Shu-dong, Z., 242.
Acoustic characterization of fracture permeability at Chalk River, Ontario. Paillet, F.L., 468.

05. *Boring Techniques and Equipment (cf. C 10)*
Cone penetration testing in deltaic soils. Campanella, R.G., Robertson, P.K., and Gillespie, D., 23.
Interpretation of cone penetration tests. Part I: Sand. Robertson, P.K., and Campanella, R.G., 718.
Interpretation of cone penetration tests. Part II: Clay. Robertson, P.K., and Campanella, R.G., 734.
A coring device suitable for paleomagnetic sampling of unconsolidated subsurface deposits. Barendregt, R.W., and Vreeken, W.J., 845.

06. *Sampling*
Stress – strain – time behavior of deep sea clays. Silva, A.J., Moran, K., and Akers, S.A., 517.
A coring device suitable for paleomagnetic sampling of unconsolidated subsurface deposits. Barendregt, R.W., and Vreeken, W.J., 845.

07. *Measurement of Field Conditions (incl. Post-Construction Monitoring)*
Cone penetration testing in deltaic soils. Campanella, R.G., Robertson, P.K., and Gillespie, D., 23.
Leda clay from deep boreholes at Hawkesbury, Ontario. Part I: Geology and geotechnique. Quigley, R.M., Gwyn, Q.H.J., White, O.L., Rowe, R.K., Haynes, J.E., and Bohdanowicz, A., 288.
Origine de la préconsolidation des argiles du Saguenay, Québec. Bouchard, R., Dion, D.J., et Tavenas, F., 315.
Laboratory and field determination of preconsolidation pressures at Gloucester. Leroueil, S., Samson, L., and Bozozuk, M., 477.
Effective stress analysis of the stability of embankments on soft soils: Discussion. Arroyo, R., and Sagaseta, C., 556.
Effective stress analysis of the stability of embankments on soft soils: Discussion. Brand, E.W., 558.
Monitoring and performance of an earth-fill dam in central Alberta. Williams, D.R., Balanko, L.A., and Martin, R.L., 570.
Emergency drainage system at the dam 3 – Cutardes 4 development. Dascal, O., and Comeau, W., 746.
Preconsolidation pressure of Champlain clays. Part I. *In-situ* determination. Morin, P., Leroueil, S., and Samson, L., 782.
Preconsolidation pressure of Champlain clays. Part II. Laboratory determination. Leroueil, S., Tavenas, F., Samson, L., and Morin, P., 803.
Effective stress analysis of the stability of embankments on soft soils: Discussion. Leung, K., 860.

08. *Field Testing (Excl. tests for engineering properties, see Groups D and F)*
Modulus of elasticity of a very dense glacial till determined by plate load tests. Fisher, W.R., 186.

09. *Presentation of Results*
Soft zones in the glacial till in downtown Edmonton: Discussion. Mirza, C., 193.

10. *Underwater Site Investigations*
Observations of scour around offshore structures. Dahlberg, R., 617.

D. Soil Properties: Laboratory and *In-Situ* Determinations

00. *General*
Propriétés caractéristiques des argiles de l'est du Canada. Leroueil, S., Tavenas, F., et Le Bihan, J.P., 681.

01. *Classification and Description of Soils*
Engineering properties and zoning of loess and loess-like soils in China: Discussion. Lutenegger, A.J., 192.
A case for the extension of the unified soil classification system: Discussion. Horvath, J.S., 369.
Magat Dams: Design of internal filters and drains. Hillis, S.F., and Truscott, E.G., 491.
Yield states and stress – strain relationships in a natural plastic clay. Graham, J., Noonan, M.L., and Lew, K.V., 502.
A case for the extension of the unified soil classification system: Discussion. Kotzias, P.C., and Stamatopoulos, A.C., 855.
A case for the extension of the unified soil classification system: Reply. Mirza, C., 857.

02. *Physico-Chemical Properties*
Leda clay from deep boreholes at Hawkesbury, Ontario. Part I: Geology and geotechnique. Quigley, R.M., Gwyn, Q.H.J., White, O.L., Rowe, R.K., Haynes, J.E., and Bohdanowicz, A., 288.

03. *Composition, Structure, Density, and Water Contents*
Engineering properties and zoning of loess and loess-like soils in China: Discussion. Lutenegger, A.J., 192.
Design and construction of Revelstoke earthfill dam. Taylor, H., and Lou, J.K., 416.
The permeability of natural soft clays. Part II: Permeability characteristics. Tavenas, F., Jean, P., Leblond, P., and Leroueil, S., 645.
Effect of particle size and strain conditions on the strength of crushed basalt. Al-Hussaini, M., 706.
Interpretation of cone penetration tests. Part I: Sand. Robertson, P.K., and Campanella, R.G., 718.
Interpretation of cone penetration tests. Part II: Clay. Robertson, P.K., and Campanella, R.G., 734.

04. *Hydraulic Properties*
Magat Dams: Design of internal filters and drains. Hillis, S.F., and Truscott, E.G., 491.
The permeability of natural soft clays. Part I: Methods of laboratory measurement. Tavenas, F., Leblond, P., Jean, P., and Leroueil, S., 629.
The permeability of natural soft clays. Part II: Permeability characteristics. Tavenas, F., Jean, P., Leblond, P., and Leroueil, S., 645.

05. *Compressibility and Swelling*
Cone penetration testing in deltaic soils. Campanella, R.G., Robertson, P.K., and Gillespie, D., 23.
The prediction of total heave of a slab-on-grade floor on Regina clay. Yoshida, R.T., Fredlund, D.G., and Hamilton, J.J., 69.
Modulus of elasticity of a very dense glacial till determined by plate load tests. Fisher, W.R., 186.

Laboratory and field determination of preconsolidation pressures at Gloucester. Leroueil, S., Samson, L., and Bozozuk, M., 477.
The permeability of natural soft clays. Part I: Methods of laboratory measurement. Tavenas, F., Leblond, P., Jean, P., and Leroueil, S., 629.
The permeability of natural soft clays. Part II: Permeability characteristics. Tavenas, F., Jean, P., Leblond, P., and Leroueil, S., 645.
Preconsolidation pressure of Champlain clays. Part I. *In-situ* determination. Morin, P., Leroueil, S., and Samson, L., 782.
Preconsolidation pressure of Champlain clays. Part II. Laboratory determination. Leroueil, S., Tavenas, F., Samson, L., and Morin, P., 803.
On the stability and settling of suspended solids in settling ponds. Part I. Piece-wise linear consolidation analysis of sediment layer. Yong, R.N., Siu, S.K.H., and Sheeran, D.E., 817.

06. *Shear-Deformation and Strength Properties*
Strength of field compacted clays. Liang, Y., and Lovell, C.W., 36.
A deep retaining structure in till and sand. Part I: Stress path effects. Medeiros, L.V., and Eisenstein, Z., 120.
Floating piles in soft, highly plastic clays. Bengtsson, P.-E., and Sällfors, G., 159.
On the nature of the minimum creep rate – time correlation for soil, ice, and frozen soil. Ting, J.M., 176.
The Denholm landslide, Saskatchewan. Part II: Analysis. Sauer, E.K., 208.
Leda clay from deep boreholes at Hawkesbury, Ontario. Part I: Geology and geotechnique. Quigley, R.M., Gwyn, Q.H.J., White, O.L., Rowe, R.K., Haynes, J.E., and Bohdanowicz, A., 288.
The mechanical behavior of Anvil Points oil shale at elevated temperatures and confining pressures. Zeuch, D.H., 344.
Plastic deformation of an embankment on clay. Wu, T.H., Hsu, J.R., and Ali, E.M., 437.
Yield states and stress – strain relationships in a natural plastic clay. Graham, J., Noonan, M.L., and Lew, K.V., 502.
Stress – strain – time behavior of deep sea clays. Silva, A.J., Moran, K., and Akers, S.A., 517.
Effect of particle size and strain conditions on the strength of crushed basalt. Al-Hussaini, M., 706.
Interpretation of cone penetration tests. Part I: Sand. Robertson, P.K., and Campanella, R.G., 718.
Interpretation of cone penetration tests. Part II: Clay. Robertson, P.K., and Campanella, R.G., 734.
A simple stress path analog for the triaxial test. Vaid, Y.P., and Negussey, D., 827.

07. *Dynamic Properties*
Stability of the Fraser River Delta front. Luternauer, J.L., and Liam Finn, W.D., 603.

08. *Thermal Properties*
On the nature of the minimum creep rate – time correlation for soil, ice, and frozen soil. Ting, J.M., 176.
The mechanical behavior of Anvil Points oil shale at elevated temperatures and confining pressures. Zeuch, D.H., 344.

09. *Compactibility*
Strength of field compacted clays. Liang, Y., and Lovell, C.W., 36.
Cohesive soil compaction by water jetting. Laba, J.T., 394.
Analyse géostatistique d'un noyau de barrage tel que construit. Soulie, M., Favre, M., et Konrad, J.-M., 453.
Eastmain River Dam—A case history of mass compaction in earth dam construction. Rosenberg, P., and Paré, J.-J., 773.

10. *Properties of Soil-Additive Mixtures*
Frost sensitivity of core materials: Case histories. Solymar, Z.V., and Nunn, J.O.H., 373.

E. Analysis of Soil-Engineering Problems

01. *Stress Analysis*
Exact determination of gravity stresses in finite elastic slopes: Part I. Theoretical considerations. Silvestri, V., and Tabib, C., 47.
Exact determination of gravity stresses in finite elastic slopes: Part II. Applications. Silvestri, V., and Tabib, C., 55.

02. *Deformation and Settlement Problems*
A method of estimating surface settlement above tunnels constructed in soft ground. Rowe, R.K., Lo, K.Y., and Kack, G.J., 11.
The prediction of total heave of a slab-on-grade floor on Regina clay. Yoshida, R.T., Fredlund, D.G., and Hamilton, J.J., 69.
A deep retaining structure in till and sand. Part II: Performance and analysis. Eisenstein, Z., and Medeiros, L.V., 131.
Floating piles in soft, highly plastic clays. Bengtsson, P.-E., and Sällfors, G., 159.
Erratum: On the consolidation of sedimenting clays. Koppula, S.D., and Morgenstern, N.R., 195.
A theoretical examination of the settlements induced by tunnelling: four case histories. Rowe, R.K., and Kack, G.J., 299.
Settlement limitations for cylindrical steel storage tanks: Discussion. Horvath, J.S., 368.
On the consolidation of sedimenting clays: Discussion. Carrier, W.D., III, 369.
Erratum: Settlement limitations for cylindrical steel storage tanks. Rosenberg, P., and Journeaux, N.L., 371.

Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum. Selvadurai, A.P.S., and Rabbaa, S.A.A., 406.
Laboratory and field determination of preconsolidation pressures at Gloucester. Leroueil, S., Samson, L., and Bozozuk, M., 477.
Settlement of a strip footing on a confined clay layer. Taylor, B.B., and Matyas, E.L., 535.
Hydraulic fracturing from induced pore pressures in clay soils. Poorooshasb, H.B., and Yong, R.N., 546.
Preconsolidation pressure of Champlain clays. Part I. *In-situ* determination. Morin, P., Leroueil, S., and Samson, L., 782.
Preconsolidation pressure of Champlain clays. Part II. Laboratory determination. Leroueil, S., Tavenas, F., Samson, L., and Morin, P., 803.
On the stability and settling of suspended solids in settling ponds. Part I. Piece-wise linear consolidation analysis of sediment layer. Yong, R.N., Siu, S.K.H., and Sheeran, D.E., 817.
Influence factors for settlement estimates of footings on finite layers. Taylor, B.B., and Matyas, E.L., 832.

03. *Bearing Capacity of Shallow Foundations*

Bearing capacity of shallow footing, sand over clay. Kraft, L.M., Jr., and Helfrich, S.C., 182.
Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum. Selvadurai, A.P.S., and Rabbaa, S.A.A., 406.
Settlement of a strip footing on a confined clay layer. Taylor, B.B., and Matyas, E.L., 535.

04. *Bearing Capacity of Piles and Other Deep Foundations*

Floating piles in soft, highly plastic clays. Bengtsson, P.-E., and Sällfors, G., 159.
Deep foundation design in the new Ontario Highway Bridge Design Code. Fellenius, B.H., and Meyerhof, G.G., 173.
The design and performance of heavily loaded piles in a high-risk earthquake zone. Watson, G.H., Williams, R.S., and Yam, C.C., 262.
Stability of installation of marine caisson anchors in clay. Burgess, I.W., and Hird, C.C., 385.
Ultimate capacity of rigid single piles under inclined loads in sand. Chari, T.R., and Meyerhof, G.G., 849.
Deep foundation design in the new Ontario Highway Bridge Design Code: Discussion. Bakht, B., Jaeger, L.G., and Dorton, R.A., 858.

05. *Earth Pressure Problems*

A deep retaining structure in till and sand. Part II: Performance and analysis. Eisenstein, Z., and Medeiros, L.V., 131.
Lateral earth pressures in expansive clay soils. Pufahl, D.E., Fredlund, D.G., and Rahardjo, H., 228.

06. *Stability of Slopes and Excavations*

Exact determination of gravity stresses in finite elastic slopes: Part II. Applications. Silvestri, V., and Tabib, C., 55.
Extensions to the generalized method of slices for stability analysis. Chen, Z.-Y., and Morgenstern, N.R., 104.
The Denholm landslide, Saskatchewan. Part II: Analysis. Sauer, E.K., 208.
Slope stability analysis of riverbanks. Chugh, A.K., 335.
New stability method for embankments on clay foundations: Discussion. Trak, B., and Leroueil, S., 366.
New stability method for embankments on clay foundations: Reply. Chapuis, R.P., 367.
The bearing capacity of dykes and fills founded on soft soils of limited thickness. Silvestri, V., 428.
Plastic deformation of an embankment on clay. Wu, T.H., Hsu, J.R., and Ali, E.M., 437.
Effective stress analysis of the stability of embankments on soft soils: Discussion. Arroyo, R., and Sagaseta, C., 556.
Effective stress analysis of the stability of embankments on soft soils: Discussion. Brand, E.W., 558.
Monitoring and performance of an earth-fill dam in central Alberta. Williams, D.R., Balanko, L.A., and Martin, R.L., 570.
Stability of the Fraser River Delta front. Luternauer, J.L., and Liam Finn, W.D., 603.
Some difficulties associated with the limit equilibrium method of slices. Ching, R.K.H., and Fredlund, D.G., 661.
An apparatus for investigating earthquake-induced liquefaction experimentally. Morris, D.V., 840.
Effective stress analysis of the stability of embankments on soft soils: Discussion. Leung, K., 860.

07. *Seepage and other Hydraulic Problems*

Erratum: Fifth Canadian Geotechnical Colloquium: Control of contaminant migration by the use of liners. Folkes, D.J., 371.
Magat Dams: Design of internal filters and drains. Hillis, S.F., and Truscott, E.G., 491.
Hydraulic fracturing from induced pore pressures in clay soils. Poorooshasb, H.B., and Yong, R.N., 546.
Emergency drainage system at the dam 3 – Outardes 4 development. Dascal, O., and Comeau, W., 746.

08. *Dynamic Problems*

Foundations for shock-producing machines. Novak, M., 141.
Design and construction of Revelstoke earthfill dam. Taylor, H., and Lou, J.K., 416.
Stability of the Fraser River Delta front. Luternauer, J.L., and Liam Finn, W.D., 603.
An apparatus for investigating earthquake-induced liquefaction experimentally. Morris, D.V., 840.

09. *Frost Action and Heat-Transfer Problems*

On the nature of the minimum creep rate – time correlation for soil, ice, and frozen soil. Ting, J.M., 176.
Frost heave – pipeline interaction using continuum mechanics. Nixon, J.F., Morgenstern, N.R., and Reesor, S.N., 251.
Frost sensitivity of core materials: Case histories. Solymar, Z.V., and Nunn, J.O.H., 373.
Frost action as the cause of dolostone popouts in asphalt, Kingston, Ontario. Rogers, C., 542.

12. *Soil-Structure Interaction*

A method of estimating surface settlement above tunnels constructed in soft ground. Rowe, R.K., Lo, K.Y., and Kack, G.J., 11.
Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum. Selvadurai, A.P.S., and Rabbaa, S.A.A., 406.
Foundations in tension: Ground anchors: Book Review. Rowe, R.K., 562.
Influence factors for settlement estimates of footings on finite layers. Taylor, B.B., and Matyas, E.L., 832.

13. *Mathematical Methods. Computer Analysis*

Exact determination of gravity stresses in finite elastic slopes: Part I. Theoretical considerations. Silvestri, V., and Tabib, C., 47.
Exact determination of gravity stresses in finite elastic slopes: Part II. Applications. Silvestri, V., and Tabib, C., 55.
Extensions to the generalized method of slices for stability analysis. Chen, Z.-Y., and Morgenstern, N.R., 104.
Erratum: On the consolidation of sedimenting clays. Koppula, S.D., and Morgenstern, N.R., 195.
Frost heave – pipeline interaction using continuum mechanics. Nixon, J.F., Morgenstern, N.R., and Reesor, S.N., 251.
A theoretical examination of the settlements induced by tunnelling: four case histories. Rowe, R.K., and Kack, G.J., 299.
Slope stability analysis of riverbanks. Chugh, A.K., 335.
On the consolidation of sedimenting clays: Discussion. Carrier, W.D., III, 369.
The bearing capacity of dykes and fills founded on soft soils of limited thickness. Silvestri, V., 428.
Plastic deformation of an embankment on clay. Wu, T.H., Hsu, J.R., and Ali, E.M., 437.
Analyse géostatistique d'un noyau de barrage tel que construit. Soulie, M., Favre, M., et Konrad, J.-M., 453.
Settlement of a strip footing on a confined clay layer. Taylor, B.B., and Matyas, E.L., 535.
Hydraulic fracturing from induced pore pressures in clay soils. Poorooshasb, H.B., and Yong, R.N., 546.
Some difficulties associated with the limit equilibrium method of slices. Ching, R.K.H., and Fredlund, D.G., 661.
On the stability and settling of suspended solids in settling ponds. Part I. Piece-wise linear consolidation analysis of sediment layer. Yong, R.N., Siu, S.K.H., and Sheeran, D.E., 817.
Programming the finite element method—with application to geomechanics: Book Review. Simmons, J.V., 863.

14. *Model Test Analysis*

Bearing capacity of shallow footing, sand over clay. Kraft, L.M., Jr., and Helfrich, S.C., 182.
Stability of installation of marine caisson anchors in clay. Burgess, I.W., and Hird, C.C., 385.
Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum. Selvadurai, A.P.S., and Rabbaa, S.A.A., 406.
Effects of pile material and loading state on adhesive strength of piles in ice. Frederking, R., and Karri, J., 673.
An apparatus for investigating earthquake-induced liquefaction experimentally. Morris, D.V., 840.
Ultimate capacity of rigid single piles under inclined loads in sand. Chari, T.R., and Meyerhof, G.G., 849.
Deep foundation design in the new Ontario Highway Bridge Design Code: Discussion. Bakht, B., Jaeger, L.G., and Dorton, R.A., 858.

F. Rock Properties: Laboratory and *In-Situ* Determinations

01. *Classification and Description of Rocks and Rock Masses*

Acoustic characterization of fracture permeability at Chalk River, Ontario. Paillet, F.L., 468.

03. *Composition, Density, and Structural Features*

The determination of true orientations of fractures in rock cores. Lau, J.S.O., 221.

04. *Hydraulic Properties*

Acoustic characterization of fracture permeability at Chalk River, Ontario. Paillet, F.L., 468.

06. *Shear-Deformation and Strength Properties*

Application of the NCB Cone Indenter to strength index testing of sedimentary rocks from Western Canada. Stimpson, B., and Acott, C.P., 532.
Creep in brittle rock after an increment of uniaxial load. Cruden, D.M., 836.

G. Analysis of Rock-Engineering Problems

01. *Stress Analysis*
Influence of the *in-situ* stress field and joint stiffness on rock wedge stability in underground openings. Crawford, A.M., and Bray, J.W., 276.

02. *Deformation and Displacement Problems*
Methods of improving the performance of drilled piers in weak rock. Horvath, R.G., Kenney, T.C., and Kozicki, P., 758.

03. *Bearing Capacity of Rock Masses*
Methods of improving the performance of drilled piers in weak rock. Horvath, R.G., Kenney, T.C., and Kozicki, P., 758.

05. *Rock Pressure on Tunnels and Underground Openings*
Influence of the *in-situ* stress field and joint stiffness on rock wedge stability in underground openings. Crawford, A.M., and Bray, J.W., 276.

07. *Seepage and other Hydraulic Problems*
Acoustic characterization of fracture permeability at Chalk River, Ontario. Paillet, F.L., 468.

13. *Mathematical Methods, Computer Analysis*
The determination of true orientations of fractures in rock cores. Lau, J.S.O., 221.

14. *Model Test Analysis*
Influence of the *in-situ* stress field and joint stiffness on rock wedge stability in underground openings. Crawford, A.M., and Bray, J.W., 276.

H. Design, Construction, and Behaviour of Engineering Works

00. *General*
Handbook of geology in civil engineering: Book Review. VanDine, D.F., 864.

01. *Foundations of Structures (other than dams)*
Foundations for shock-producing machines. Novak, M., 141.
Floating piles in soft, highly plastic clays. Bengtsson, P.-E., and Sällfors, G., 159.
Deep foundation design in the new Ontario Highway Bridge Design Code. Fellenius, B.H., and Meyerhof, G.G., 173.
Bearing capacity of shallow footing, sand over clay. Kraft, L.M., Jr., and Helfrich, S.C., 182.
The design and performance of heavily loaded piles in a high-risk earthquake zone. Watson, G.H., Williams, R.S., and Yam, C.C., 262.
Pile load tests for the Calgary Air Terminal building. Bertok, J., and Berezowski, M., 353.
Settlement limitations for cylindrical steel storage tanks: Discussion. Horvath, J.S., 368.
Erratum: Settlement limitations for cylindrical steel storage tanks. Rosenberg, P., and Journeaux, N.L., 371.
Plastic deformation of an embankment on clay. Wu, T.H., Hsu, J.R., and Ali, E.M., 437.
Foundations in tension: Ground anchors: Book Review. Rowe, R.K., 562.
Deep foundation design in the new Ontario Highway Bridge Design Code: Discussion. Bakht, B., Jaeger, L.G., and Dorton R.A., 858.

02. *Retaining Structures and Cut-off Walls*
Lateral earth pressures in expansive clay soils. Pufahl, D.E., Fredlund, D.G., and Rahardjo, H., 228.

03. *Offshore Structures*
Stability of installation of marine caisson anchors in clay. Burgess, I.W., and Hird, C.C., 385.
Observations of scour around offshore structures. Dahlberg, R., 617.

04. *Dams and Reservoirs*
Egypt's Aswan High Dam: Dinner address presented on December 17, 1956. Terzaghi, K., 169.
Erratum: Fifth Canadian Geotechnical Colloquium: Control of contaminant migration by the use of liners. Folkes, D.J., 371.
Frost sensitivity of core materials: Case histories. Solymar, Z.V., and Nunn, J.O.H., 373.
Design and construction of Revelstoke earthfill dam. Taylor, H., and Lou, J.K., 416.
The bearing capacity of dykes and fills founded on soft soils of limited thickness. Silvestri, V., 428.
Analyse géostatistique d'un noyau de barrage tel que construit. Soulie, M., Favre, M., et Konrad, J.-M., 453.

Monitoring and performance of an earth-fill dam in central Alberta. Williams, D.R., Balanko, L.A., and Martin, R.L., 570.
Emergency drainage system at the dam 3 – Outardes 4 development. Dascal, O., and Comeau, W., 746.
Eastmain River Dam—A case history of mass compaction in earth dam construction. Rosenberg, P., and Paré, J.-J., 773.

05. *Tunnels and Underground Openings*
A method of estimating surface settlement above tunnels constructed in soft ground. Rowe, R.K., Lo, K.Y., and Kack, G.J., 11.
A deep retaining structure in till and sand. Part II: Performance and analysis. Eisenstein, Z., and Medeiros, L.V., 131.
A theoretical examination of the settlements induced by tunnelling: four case histories. Rowe, R.K., and Kack, G.J., 299.

06. *Roads, Railroads and Airfields*
Erratum: The Gronlid crossing, Saskatchewan Provincial Highway No. 6 at the Saskatchewan River. Lidgren, R.A., and Sauer, E.K., 195.
Plastic deformation of an embankment on clay. Wu, T.H., Hsu, J.R., and Ali, E.M., 437.
Frost action as the cause of dolostone popouts in asphalt, Kingston, Ontario. Rogers, C., 542.
Preconsolidation pressure of Champlain clays. Part I. *In-situ* determination. Morin, P., Leroueil, S., and Samson, L., 782.
Preconsolidation pressure of Champlain clays. Part II. Laboratory determination. Leroueil, S., Tavenas, F., Samson, L., and Morin, P., 803.

08. *Conduits and Culverts*
Geotechnical aspects of pipeline construction in Alberta. Marshall, R.G., and Ruban, T.F., 1.
Frost heave – pipeline interaction using continuum mechanics. Nixon, J.F., Morgenstern, N.R., and Reesor, S.N., 251.

09. *Slopes and Unsupported Excavations*
Geotechnical aspects of pipeline construction in Alberta. Marshall, R.G., and Ruban, T.F., 1.
Drynoch landslide, British Columbia—a history. VanDine, D.F., 82.
Erratum: The Gronlid crossing, Saskatchewan Provincial Highway No. 6 at the Saskatchewan River. Lidgren, R.A., and Sauer, E.K., 195.
The Denholm landslide, Saskatchewan. Part II: Analysis. Sauer, E.K., 208.
Design and construction of Revelstoke earthfill dam. Taylor, H., and Lou, J.K., 416.
Effective stress analysis of the stability of embankments on soft soils: Discussion. Arroyo, R., and Sagaseta, C., 556.
Effective stress analysis of the stability of embankments on soft soils: Discussion. Brand, E.W., 558.
Effective stress analysis of the stability of embankments on soft soils: Discussion. Leung, K., 860.

K. Construction Methods and Equipment

01. *Drainage Methods*
Geotechnical aspects of pipeline construction in Alberta. Marshall, R.G., and Ruban, T.F., 1.
Emergency drainage system at the dam 3 – Outardes 4 development. Dascal, O., and Comeau, W., 746.

05. *Compaction Processes*
Cohesive soil compaction by water jetting. Laba, J.T., 394.
Eastmain River Dam—A case history of mass compaction in earth dam construction. Rosenberg, P., and Paré, J.-J., 773.

06. *Soil Stabilization and Erosion Control*
Observations of scour around offshore structures. Dahlberg, R., 617.

07. *Piles and Pile Driving, incl. Sheet Piles*
The design and performance of heavily loaded piles in a high-risk earthquake zone. Watson, G.H., Williams, R.S., and Yam, C.C., 262.
Pile load tests for the Calgary Air Terminal building. Bertok, J., and Berezowski, M., 353.

08. *Construction of Caissons and Deep Piers*
Stability of installation of marine caisson anchors in clay. Burgess, I.W., and Hird, C.C., 385.
Methods of improving the performance of drilled piers in weak rock. Horvath, R.G., Kenney, T.C., and Kozicki, P., 758.

12. *Offshore Construction*
Observations of scour around offshore structures. Dahlberg, R., 617.
Eastmain River Dam—A case history of mass compaction in earth dam construction. Rosenberg, P., and Paré, J.-J., 773.

13. *Protection Measures against Frost*
Frost sensitivity of core materials: Case histories. Solymar, Z.V., and Nunn, J.O.H., 373.

14. *Measures for Improving Deformation and Stability Conditions. Reconstruction of Foundations*
Geotechnical aspects of pipeline construction in Alberta. Marshall, R.G., and Ruban, T.F., 1.
Design and construction of Revelstoke earthfill dam. Taylor, H., and Lou, J.K., 416.

M. Materials of Construction

04. *Plastics and Similar Materials*
Erratum: Fifth Canadian Geotechnical Colloquium: Control of contaminant migration by the use of liners. Folkes, D.J., 371.

S. Snow and Ice Mechanics and Engineering

02. *Properties of Snow and Ice*
Deformation of ice under low stresses. Sego, D.C., and Morgenstern, N.R., 587.
Effects of pile material and loading state on adhesive strength of piles in ice. Frederking, R., and Karri, J., 673.

T. Related Disciplines

04. *Meteorology and Climatology*
Groundwater balance in the wet zone of the USSR. Zaltsberg, E., 563.

06. *Civil Engineering*
Sediment removal during an extreme summer storm: Muskwa River, northeastern British Columbia. Sherstone, D.A., 329.
Effects of pile material and loading state on adhesive strength of piles in ice. Frederking, R., and Karri, J., 673.

14. *Environmental Problems and Nature Conservation*
On the stability and settling of suspended solids in settling ponds. Part 1. Piece-wise linear consolidation analysis of sediment layer. Yong, R.N., Siu, S.K.H., and Sheeran, D.E., 817.

Canadian Geotechnical Journal

Revue canadienne de géotechnique

Volume 20 • 1983

Editor R. M. QUIGLEY **Directeur scientifique**

Assistant to the Editor E. MILLIKEN **Adjointe au directeur scientifique**

Associate Editors/Directeurs scientifiques associés

M. BOZOZUK
J. I. CLARK
Z. EISENSTEIN
M. GARNEAU
J. GRAHAM
G. LEFEBVRE
D. R. McCREATH
R. J. MITCHELL
J. F. NIXON
D. READES
W. D. ROGGENSACK
P. G. SLY
R. N. YONG

PUBLISHING DEPARTMENT
at the National Research Council of Canada

SERVICE DE PUBLICATION
du Conseil national de recherches du Canada

Editor-in-chief C. T. BISHOP **Directeur général**
Assistant Editor-in-chief P. A. REDHEAD **Directeur général adjoint**
Manager B. E. DREW **Directrice administrative**
Publishing Supervisor S. E. JENNESS **Préposé de la publication**
Senior Publication Officer F. M. KAVCIC **Agent supérieur à la publication**
Publication Officer E. ROLFE **Agent à la publication**

Published by the
National Research Council
of Canada

Publiée par le
Conseil national de recherches
du Canada

CONTENTS/SOMMAIRE

FEBRUARY/FÉVRIER

Instructions to authors iii

Recommandations aux auteurs v

ARTICLES

Robert G. Marshall and Tony F. Ruban Geotechnical aspects of pipeline construction in Alberta 1

R. K. Rowe, K. Y. Lo, and G. J. Kack A method of estimating surface settlement above tunnels constructed in soft ground 11

R. G. Campanella, P. K. Robertson, and D. Gillespie Cone penetration testing in deltaic soils 23

Y. Liang and C. W. Lovell Strength of field compacted clays 36

V. Silvestri and C. Tabib Exact determination of gravity stresses in finite elastic slopes: Part I. Theoretical considerations 47

V. Silvestri and C. Tabib Exact determination of gravity stresses in finite elastic slopes: Part II. Applications 55

Wang Zhong-qi, Fang Hong-qi, and Zhao Shu-dong Macroscopic features of earthquake induced soil liquefaction and its influence on ground damage 61

R. T. Yoshida, D. G. Fredlund, and J. J. Hamilton The prediction of total heave of a slab-on-grade floor on Regina clay 69

D. F. VanDine Drynoch landslide, British Columbia—a history 82

Zu-Yu Chen and N. R. Morgenstern Extensions to the generalized method of slices for stability analysis 104

L. V. Medeiros and Z. Eisenstein A deep retaining structure in till and sand. Part I: Stress path effects 120

Z. Eisenstein and L. V. Medeiros A deep retaining structure in till and sand. Part II: Performance and analysis 131

M. Novak Foundations for shock-producing machines 141

Per-Evert Bengtsson and Göran Sällfors Floating piles in soft, highly plastics clays 159

TECHNICAL NOTES/NOTES TECHNIQUES

Karl Terzaghi Egypt's Aswan High Dam: Dinner address presented on December 17, 1956 169

Bengt H. Fellenius and Geoffry G. Meyerhof Deep foundation design in the new Ontario Highway Bridge Design Code 173

John M. Ting On the nature of the minimum creep rate – time correlation for soil, ice, and frozen soil 176

Leland M. Kraft, Jr. and Steven C. Helfrich Bearing capacity of shallow footing, sand over clay 182

William R. Fisher Modulus of elasticity of a very dense glacial till determined by plate load tests 186

DISCUSSIONS

A. J. Lutenegger Engineering properties and zoning of loess and loess-like soils in China: Discussion 192

C. Mirza Soft zones in the glacial till in downtown Edmonton: Discussion 193

ERRATA

R. A. Lidgren and E. Karl Sauer Erratum: The Gronlid crossing, Saskatchewan Provincial Highway No. 6 at the Saskatchewan River 195

S. D. Koppula and N. R. Morgenstern Erratum: On the consolidation of sedimenting clays 195

MAY/MAI

ARTICLES

E. A. Christiansen The Denholm landslide, Saskatchewan. Part I: Geology 197
E. Karl Sauer The Denholm landslide, Saskatchewan. Part II: Analysis 208
J. S. O. Lau The determination of true orientations of fractures in rock cores 221
D. E. Pufahl, D. G. Fredlund, and H. Rahardjo Lateral earth pressures in expansive clay soils 228
Wang Zhong-Qi, Fang Hong-Qi, and Zhao Shu-Dong Surface displacements in relation to shallow surface fractures and deep faulting 242
J. F. Nixon, N. R. Morgenstern, and S. N. Reesor Frost heave – pipeline interaction using continuum mechanics 251
George H. Watson, Richard S. Williams, and Chun Chiu Yam The design and performance of heavily loaded piles in a high-risk earthquake zone 262
A. M. Crawford and J. W. Bray Influence of the *in-situ* stress field and joint stiffness on rock wedge stability in underground openings 276
Robert M. Quigley, Q. H. J. Gwyn, Owen L. White, R. Kerry Rowe, Janet E. Haynes, and Anne Bohdanowicz Leda clay from deep boreholes at Hawkesbury, Ontario. Part I: Geology and geotechnique 288
R. K. Rowe and G. J. Kack A theoretical examination of the settlements induced by tunnelling: four case histories 299
R. Bouchard, D. J. Dion et F. Tavenas Origine de la préconsolidation des argiles du Saguenay, Québec 315

TECHNICAL NOTES/NOTES TECHNIQUES

David A. Sherstone Sediment removal during an extreme summer storm: Muskwa River, northeastern British Columbia 329
Ashok K. Chugh Slope stability analysis of riverbanks 335
David H. Zeuch The mechanical behavior of Anvil Points oil shale at elevated temperatures and confining pressures 344
J. Bertok and M. Berezowski Pile load tests for the Calgary Air Terminal building 353
Peter Steer and Ming-ko Woo Measurement of slope runoff in a permafrost region 361

DISCUSSIONS

B. Trak and S. Leroueil New stability method for embankments on clay foundations: Discussion 366
Robert P. Chapuis New stability method for embankments on clay foundations: Reply 367
John S. Horvath Settlement limitations for cylindrical steel storage tanks: Discussion 368
John S. Horvath A case for the extension of the unified soil classification system: Discussion 369
W. David Carrier, III On the consolidation of sedimenting clays: Discussion 369

ERRATA

Peter Rosenberg and Noël L. Journeaux Erratum: Settlement limitations for cylindrical steel storage tanks 371
David J. Folkes Erratum: Fifth Canadian Geotechnical Colloquium: Control of contaminant migration by the use of liners 371

AUGUST/AOÛT

ARTICLES

Z. V. Solymar and J. O. H. Nunn Frost sensitivity of core materials: Case histories 373
I. W. Burgess and C. C. Hird Stability of installation of marine caisson anchors in clay 385
Jan T. Laba Cohesive soil compaction by water jetting 394
A. P. S. Selvadurai and S. A. A. Rabbaa Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum 406
H. Taylor and J. K. Lou Design and construction of Revelstoke earthfill dam 416
V. Silvestri The bearing capacity of dykes and fills founded on soft soils of limited thickness 428
Tien H. Wu, Jenq R. Hsu, and Elfatih M. Ali Plastic deformation of an embankment on clay 437

Michel Soulie, Marc Favre et Jean-Marie Konrad Analyse géostatistique d'un noyau de barrage tel que construit 453
Frederick L. Paillet Acoustic characterization of fracture permeability at Chalk River, Ontario 468
S. Leroueil, L. Samson, and M. Bozozuk Laboratory and field determination of preconsolidation pressures at Gloucester 477
Sydney F. Hillis and E. Glen Truscott Magat Dams: Design of internal filters and drains 491
J. Graham, M. L. Noonan, and K. V. Lew Yield states and stress–strain relationships in a natural plastic clay 502
A. J. Silva, K. Moran, and S. A. Akers Stress–strain–time behavior of deep sea clays 517

TECHNICAL NOTES/NOTES TECHNIQUES
B. Stimpson and C. P. Acott Application of the NCB Cone Indenter to strength index testing of sedimentary rocks from Western Canada 532
Brian B. Taylor and Elmer L. Matyas Settlement of a strip footing on a confined clay layer 535
Chris Rogers Frost action as the cause of dolostone popouts in asphalt, Kingston, Ontario 542
H. B. Poorooshasb and Raymond N. Yong Hydraulic fracturing from induced pore pressures in clay soils 546

DISCUSSIONS
R. Arroyo and C. Sagaseta Effective stress analysis of the stability of embankments on soft soils: Discussion 556
E. W. Brand Effective stress analysis of the stability of embankments on soft soils: Discussion 558

BOOK REVIEW/CRITIQUE DE LIVRE
R. K. Rowe Foundations in tension: Ground anchors 562

NOVEMBER/NOVEMBRE

ARTICLES
E. Zaltsberg Groundwater balance in the wet zone of the USSR 563
D. R. Williams, L. A. Balanko, and R. L. Martin Monitoring and performance of an earth-fill dam in central Alberta 570
David C. Sego and Norbert R. Morgenstern Deformation of ice under low stresses 587
J. L. Luternauer and W. D. Liam Finn Stability of the Fraser River Delta front 603
Rune Dahlberg Observations of scour around offshore structures 617
F. Tavenas, P. Leblond, P. Jean, and S. Leroueil The permeability of natural soft clays. Part I: Methods of laboratory measurement 629
F. Tavenas, P. Jean, P. Leblond, and S. Leroueil The permeability of natural soft clays. Part II: Permeability characteristics 645
R. K. H. Ching and D. G. Fredlund Some difficulties associated with the limit equilibrium method of slices 661
R. Frederking and J. Karri Effects of pile material and loading state on adhesive strength of piles in ice 673
Serge Leroueil, François Tavenas et Jean-Pierre Le Bihan Propriétés caractéristiques des argiles de l'est du Canada 681
Mosaid Al-Hussaini Effect of particle size and strain conditions on the strength of crushed basalt 706
P. K. Robertson and R. G. Campanella Interpretation of cone penetration tests. Part I: Sand 718
P. K. Robertson and R. G. Campanella Interpretation of cone penetration tests. Part II: Clay 734
O. Dascal and W. Comeau Emergency drainage system at the dam 3 – Outardes 4 development 746
R. G. Horvath, T. C. Kenney, and P. Kozicki Methods of improving the performance of drilled piers in weak rock 758
Peter Rosenberg and J.-Jacques Paré Eastmain River Dam—A case history of mass compaction in earth dam construction 773

P. Morin, S. Leroueil, and L. Samson Preconsolidation pressure of Champlain clays. Part I. *In-situ* determination 782
S. Leroueil, F. Tavenas, L. Samson, and P. Morin Preconsolidation pressure of Champlain clays. Part II. Laboratory determination 803
Raymond N. Yong, Steven K. H. Siu, and Donald E. Sheeran On the stability and settling of suspended solids in settling ponds. Part I. Piece-wise linear consolidation analysis of sediment layer 817

TECHNICAL NOTES/NOTES TECHNIQUES

Y. P. Vaid and Dawit Negussey A simple stress path analog for the triaxial test 827
Brian B. Taylor and Elmer L. Matyas Influence factors for settlement estimates of footings on finite layers 832
D. M. Cruden Creep in brittle rock after an increment of uniaxial load 836
Derek V. Morris An apparatus for investigating earthquake-induced liquefaction experimentally 840
René W. Barendregt and W. J. Vreeken A coring device suitable for paleomagnetic sampling of unconsolidated subsurface deposits 845
T. R. Chari and G. G. Meyerhof Ultimate capacity of rigid single piles under inclined loads in sand 849

DISCUSSIONS

P. C. Kotzias and A. C. Stamatopoulos A case for the extension of the unified soil classification system: Discussion 855
C. Mirza A case for the extension of the unified soil classification system: Reply 857
Baidar Bakht, Leslie G. Jaeger, and Roger A. Dorton Deep foundation design in the new Ontario Highway Bridge Design Code: Discussion 858
Kwun Leung Effective stress analysis of the stability of embankments on soft soils: Discussion 860

BOOK REVIEWS/CRITIQUES DE LIVRES

John V. Simmons Programming the finite element method—with application to geomechanics 863
D. F. VanDine Handbook of geology in civil engineering 864

Author index for Volume 20/Index des auteurs pour volume 20 **AI-1**
Subject index for Volume 20/Index des matières pour volume 20 **SI-1**
Note of appreciation/Note de reconnaissance **i**
Contents for Volume 20/Sommaire pour volume 20 **v**